

Uniform Mitigation Verification Inspection Form

Maintain a copy of this form and any documentation provided with the insurance policy

Inspection Date: 10/12/2023		
Owner Information		
Owner Name: Kensington Preserve at St Andrews East Assoc. Inc.		Contact Person:
Address: 1722 Celtic Drive		Home Phone:
City: Venice	Zip: 34293	Work Phone:
County: Sarasota		Cell Phone:
Insurance Company: Tommy Kochis / Atlas - tkochis@atlasinsuranceagency.com		Policy #:
Year of Home: 2006	# of Stories: Two	Email: : Lauren@sunstatemanagement.com

NOTE: Any documentation used in validating the compliance or existence of each construction or mitigation attribute must accompany this form. At least one photograph must accompany this form to validate each attribute marked in questions 3 through 7. The insurer may ask additional questions regarding the mitigated feature(s) verified on this form.

- Building Code:** Was the structure built in compliance with the Florida Building Code (FBC 2001 or later) OR for homes located in the HVHZ (Miami-Dade or Broward counties), South Florida Building Code (SFBC-94)?

A. Built in compliance with the FBC: Year Built 2006. For homes built in 2002/2003 provide a permit application with a date after 3/1/2002: Building Permit Application Date (MM/DD/YYYY) 03./08./2005

B. For the HVHZ Only: Built in compliance with the SFBC-94: Year Built _____. For homes built in 1994, 1995, and 1996 provide a permit application with a date after 9/1/1994: Building Permit Application Date (MM/DD/YYYY) ___/___/_____

C. Unknown or does not meet the requirements of Answer "A" or "B"
- Roof Covering:** Select all roof covering types in use. Provide the permit application date OR FBC/MDC Product Approval number OR Year of Original Installation/Replacement OR indicate that no information was available to verify compliance for each roof covering identified.

2.1 Roof Covering Type:	Permit Application Date	FBC or MDC Product Approval #	Year of Original Installation or Replacement	No Information Provided for Compliance
<input type="checkbox"/> 1. Asphalt/Fiberglass Shingle	_/_/___	_____	_____	<input type="checkbox"/>
<input checked="" type="checkbox"/> 2. Concrete/Clay Tile	<u>09.06.2023</u>	<u>FBC 2020 7th Ed</u>	<u>2023</u>	<input type="checkbox"/>
<input type="checkbox"/> 3. Metal	_/_/___	_____	_____	<input type="checkbox"/>
<input type="checkbox"/> 4. Built Up	_/_/___	_____	_____	<input type="checkbox"/>
<input type="checkbox"/> 5. Membrane	_/_/___	_____	_____	<input type="checkbox"/>
<input type="checkbox"/> 6. Other _____	_/_/___	_____	_____	<input type="checkbox"/>

- A. All roof coverings listed above meet the FBC with a FBC or Miami-Dade Product Approval listing current at time of installation OR have a roofing permit application date on or after 3/1/02 OR the roof is original and built in 2004 or later.
- B. All roof coverings have a Miami-Dade Product Approval listing current at time of installation OR (for the HVHZ only) a roofing permit application after 9/1/1994 and before 3/1/2002 OR the roof is original and built in 1997 or later.
- C. One or more roof coverings do not meet the requirements of Answer "A" or "B".
- D. No roof coverings meet the requirements of Answer "A" or "B".
- Roof Deck Attachment:** What is the weakest form of roof deck attachment?

A. Plywood/Oriented strand board (OSB) roof sheathing attached to the roof truss/rafter (spaced a maximum of 24" inches o.c.) by staples or 6d nails spaced at 6" along the edge and 12" in the field. -OR- Batten decking supporting wood shakes or wood shingles. -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that has an equivalent mean uplift less than that required for Options B or C below.

B. Plywood/OSB roof sheathing with a minimum thickness of 7/16" inch attached to the roof truss/rafter (spaced a maximum of 24" inches o.c.) by 8d common nails spaced a maximum of 12" inches in the field. -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent or greater resistance than 8d nails spaced a maximum of 12 inches in the field or has a mean uplift resistance of at least 103 psf.

C. Plywood/OSB roof sheathing with a minimum thickness of 7/16" inch attached to the roof truss/rafter (spaced a maximum of 24" inches o.c.) by 8d common nails spaced a maximum of 6" inches in the field. -OR- Dimensional lumber/Tongue & Groove decking with a minimum of 2 nails per board (or 1 nail per board if each board is equal to or less than 6 inches in width). -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent

Inspectors Initials CP Property Address 1722 Celtic Drive Venice

***This verification form is valid for up to five (5) years provided no material changes have been made to the structure.**

or greater resistance than 8d common nails spaced a maximum of 6 inches in the field or has a mean uplift resistance of at least 182 psf.

- D. Reinforced Concrete Roof Deck.
- E. Other: _____
- F. Unknown or unidentified.
- G. No attic access.

4. **Roof to Wall Attachment:** What is the **WEAKEST** roof to wall connection? (Do not include attachment of hip/valley jacks within 5 feet of the inside or outside corner of the roof in determination of WEAKEST type)

- A. Toe Nails
 - Truss/rafter anchored to top plate of wall using nails driven at an angle through the truss/rafter and attached to the top plate of the wall, or
 - Metal connectors that do not meet the minimal conditions or requirements of B, C, or D

Minimal conditions to qualify for categories B, C, or D. All visible metal connectors are:

- Secured to truss/rafter with a minimum of three (3) nails, **and**
- Attached to the wall top plate of the wall framing, or embedded in the bond beam, with less than a 1/2" gap from the blocking or truss/rafter **and** blocked no more than 1.5" of the truss/rafter, **and** free of visible severe corrosion.
- B. Clips
 - Metal connectors that do not wrap over the top of the truss/rafter, **or**
 - Metal connectors with a minimum of 1 strap that wraps over the top of the truss/rafter and does not meet the nail position requirements of C or D, but is secured with a minimum of 3 nails.
- C. Single Wraps
 - Metal connectors consisting of a single strap that wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side and a minimum of 1 nail on the opposing side.
- D. Double Wraps
 - Metal Connectors consisting of 2 separate straps that are attached to the wall frame, or embedded in the bond beam, on either side of the truss/rafter where each strap wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side, and a minimum of 1 nail on the opposing side, **or**
 - Metal connectors consisting of a single strap that wraps over the top of the truss/rafter, is secured to the wall on both sides, and is secured to the top plate with a minimum of three nails on each side.
- E. Structural Anchor bolts structurally connected or reinforced concrete roof.
- F. Other: _____
- G. Unknown or unidentified
- H. No attic access

5. **Roof Geometry:** What is the roof shape? (Do not consider roofs of porches or carports that are attached only to the fascia or wall of the host structure over unenclosed space in the determination of roof perimeter or roof area for roof geometry classification).

- A. Hip Roof Hip roof with no other roof shapes greater than 10% of the total roof system perimeter.
Total length of non-hip features: _____ feet; Total roof system perimeter: _____ feet
- B. Flat Roof Roof on a building with 5 or more units where at least 90% of the main roof area has a roof slope of less than 2:12. Roof area with slope less than 2:12 _____ sq ft; Total roof area _____ sq ft
- C. Other Roof Any roof that does not qualify as either (A) or (B) above.

6. **Secondary Water Resistance (SWR):** (standard underlayments or hot-mopped felts do not qualify as an SWR)

- A. SWR (also called Sealed Roof Deck) Self-adhering polymer modified-bitumen roofing underlayment applied directly to the sheathing or foam adhesive SWR barrier (not foamed-on insulation) applied as a supplemental means to protect the dwelling from water intrusion in the event of roof covering loss.
- B. No SWR.
- C. Unknown or undetermined.

Inspectors Initials CP Property Address 1722 Celtic Drive Venice

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

7. **Opening Protection:** What is the **weakest** form of wind borne debris protection installed on the structure? **First**, use the table to determine the weakest form of protection for each category of opening. **Second**, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings **and** (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

Opening Protection Level Chart Place an "X" in each row to identify all forms of protection in use for each opening type. Check only one answer below (A thru X), based on the weakest form of protection (lowest row) for any of the Glazed openings and indicate the weakest form of protection (lowest row) for Non-Glazed openings.		Glazed Openings				Non-Glazed Openings	
		Windows or Entry Doors	Garage Doors	Skylights	Glass Block	Entry Doors	Garage Doors
N/A	Not Applicable- there are no openings of this type on the structure			X		X	
A	Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights)						
B	Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights)						
C	Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007						
D	Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330, ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance						
N	Opening Protection products that appear to be A or B but are not verified				X		
	Other protective coverings that cannot be identified as A, B, or C						
X	No Windborne Debris Protection	X	X		X		

- A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only)** All Glazed openings are protected at a minimum, with impact resistant coverings or products listed as wind borne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level A in the table above).
- Miami-Dade County PA 201, 202, **and** 203
 - Florida Building Code Testing Application Standard (TAS) 201, 202, **and** 203
 - American Society for Testing and Materials (ASTM) E 1886 **and** ASTM E 1996
 - Southern Standards Technical Document (SSTD) 12
 - For Skylights Only: ASTM E 1886 **and** ASTM E 1996
 - For Garage Doors Only: ANSI/DASMA 115
- A.1 All Non-Glazed openings classified as A in the table above, or no Non-Glazed openings exist
- A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level B, C, N, or X in the table above
- A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above
- B. Exterior Opening Protection- Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only)** All Glazed openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):
- ASTM E 1886 **and** ASTM E 1996 (Large Missile – 4.5 lb.)
 - SSTD 12 (Large Missile – 4 lb. to 8 lb.)
 - For Skylights Only: ASTM E 1886 **and** ASTM E 1996 (Large Missile - 2 to 4.5 lb.)
- B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist
- B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X in the table above
- B.3 One or More Non-Glazed openings is classified as Level C, N, or X in the table above
- C. Exterior Opening Protection- Wood Structural Panels meeting FBC 2007** All Glazed openings are covered with plywood/OSB meeting the requirements of Table 1609.1.2 of the FBC 2007 (Level C in the table above).
- C.1 All Non-Glazed openings classified as A, B, or C in the table above, or no Non-Glazed openings exist
- C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above
- C.3 One or More Non-Glazed openings is classified as Level N or X in the table above

Inspectors Initials CP Property Address 1722 Celtic Drive Venice

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

- N. Exterior Opening Protection (unverified shutter systems with no documentation)** All Glazed openings are protected with protective coverings not meeting the requirements of Answer "A", "B", or "C" or systems that appear to meet Answer "A" or "B" with no documentation of compliance (Level N in the table above).
 - N.1 All Non-Glazed openings classified as Level A, B, C, or N in the table above, or no Non-Glazed openings exist
 - N.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level X in the table above
 - N.3 One or More Non-Glazed openings is classified as Level X in the table above
- X. None or Some Glazed Openings** One or more Glazed openings classified and Level X in the table above.

MITIGATION INSPECTIONS MUST BE CERTIFIED BY A QUALIFIED INSPECTOR. <i>Section 627.711(2), Florida Statutes, provides a listing of individuals who may sign this form.</i>		
Qualified Inspector Name:	Christopher J. Patek	License Type: General Contractor
		License or Certificate #: CGC1510043
Inspection Company:	Patek Inspections, LLC	Phone: 941-468-4946

Qualified Inspector – I hold an active license as a: (check one)

- Home inspector licensed under Section 468.8314, Florida Statutes who has completed the statutory number of hours of hurricane mitigation training approved by the Construction Industry Licensing Board and completion of a proficiency exam.
- Building code inspector certified under Section 468.607, Florida Statutes.
- General, building or residential contractor licensed under Section 489.111, Florida Statutes.
- Professional engineer licensed under Section 471.015, Florida Statutes.
- Professional architect licensed under Section 481.213, Florida Statutes.
- Any other individual or entity recognized by the insurer as possessing the necessary qualifications to properly complete a uniform mitigation verification form pursuant to Section 627.711(2), Florida Statutes.

Individuals other than licensed contractors licensed under Section 489.111, Florida Statutes, or professional engineer licensed under Section 471.015, Florida Statutes, must inspect the structures personally and not through employees or other persons. Licensees under s.471.015 or s.489.111 may authorize a direct employee who possesses the requisite skill, knowledge, and experience to conduct a mitigation verification inspection.

I, Christopher Patek am a qualified inspector and I personally performed the inspection or (*licensed (print name)*
contractors and professional engineers only) I had my employee (_____) perform the inspection
(print name of inspector)
and I agree to be responsible for his/her work.

Qualified Inspector Signature:  Date: 10/12/2023

An individual or entity who knowingly or through gross negligence provides a false or fraudulent mitigation verification form is subject to investigation by the Florida Division of Insurance Fraud and may be subject to administrative action by the appropriate licensing agency or to criminal prosecution. (Section 627.711(4)-(7), Florida Statutes) The Qualified Inspector who certifies this form shall be directly liable for the misconduct of employees as if the authorized mitigation inspector personally performed the inspection.

Homeowner to complete: I certify that the named Qualified Inspector or his or her employee did perform an inspection of the residence identified on this form and that proof of identification was provided to me or my Authorized Representative.

Signature: _____ Date: 10/12/2023

An individual or entity who knowingly provides or utters a false or fraudulent mitigation verification form with the intent to obtain or receive a discount on an insurance premium to which the individual or entity is not entitled commits a misdemeanor of the first degree. (Section 627.711(7), Florida Statutes)

The definitions on this form are for inspection purposes only and cannot be used to certify any product or construction feature as offering protection from hurricanes.

Inspectors Initials CP Property Address 1722 Celtic Drive Venice

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

Permit Details

Permit Number	Address		Status	Application Date
05 405784 00 B3	1722 Celtic Dr		Closed	Mar 08, 2005
Type	Sub Type	Work Type	Issue Date	Expiration Date
ResidentialMultiFamily	Five or more housing less than or equal to 3 stories	New (Shell Only)	May 24, 2005	Apr 09, 2007
Description				
8 Unit Condo - 2 bdrm, 2 bath * Shell * - Bldg # 1722 - St Andrews East				

Usage Details

Occupancy	Unit	AC Enclosed SqFt	Occ. Class	Occ. Load	Floor Load	Non Enclosed SqFt
2001 R2A - Residential Apartment, Condo	8	13424	0	0	0	0

Permit Info

Info. Desc.	Value
Administrative	
Office (north or south)	South
Stated Construction Value	550000
Building Code Edition	FBC 2001
General	
Project Type	None
Required Forms	
Notice of Commencement (NOC)	Received

Processes And Notes

Process Description	Status	To Start	To End	Started	Ended
Intake					
B3 Accept Application	Completed	Mar 08, 2005	Mar 08, 2005	Mar 08, 2005	Mar 08, 2005
Reviews					
Building Plans Review	Approved	Apr 21, 2005	Apr 24, 2005	Mar 17, 2005	May 20, 2005
Electrical Plans Review	Approved	Mar 08, 2005	Mar 17, 2005	Mar 17, 2005	Mar 17, 2005
Plumbing Plans Review	Approved	Mar 08, 2005	Mar 17, 2005	Mar 10, 2005	Mar 10, 2005
Mechanical Plans Review	Approved	Mar 08, 2005	Mar 17, 2005	Mar 17, 2005	Mar 17, 2005
Fire Plans Review	Appr with Stips	Mar 08, 2005	Mar 17, 2005	Apr 14, 2005	Apr 14, 2005
Zoning Plans Review	Approved	Mar 08, 2005	Mar 17, 2005	Mar 21, 2005	Mar 21, 2005
Resource Protection Review	Approved	Mar 08, 2005	Mar 17, 2005	Mar 10, 2005	Mar 10, 2005
Utilities Review	Approved			Mar 31, 2005	May 20, 2005
Tree Protection Review	Approved	Mar 08, 2005	Mar 17, 2005	Apr 27, 2005	Apr 27, 2005
Structural					
Footer	Approved	Jul 27, 2005	Jul 27, 2005	Jul 28, 2005	Jul 28, 2005
Floor	Approved	Nov 14, 2005	Nov 14, 2005	Nov 14, 2005	Nov 14, 2005
Lintel	Approved	Feb 22, 2006	Feb 22, 2006	Dec 19, 2005	Feb 22, 2006
Roof Sheathing	Approved	Apr 24, 2006	Apr 24, 2006	Apr 24, 2006	Apr 24, 2006
Framing	Not Required			Sep 29, 2006	Sep 29, 2006
Wall Sheathing	Not Required			Sep 29, 2006	Sep 29, 2006
Roof Dry-In & Flashing	Approved	May 01, 2006	May 01, 2006	May 01, 2006	May 01, 2006
Roof In Progress	Approved	Jul 18, 2006	Jul 18, 2006	Jul 18, 2006	Jul 18, 2006
Window / Door Buck	Approved	Apr 07, 2006	Apr 07, 2006	Apr 07, 2006	Apr 07, 2006
Insulation	Not Required			Sep 29, 2006	Sep 29, 2006
Building Final	Approved	Oct 04, 2006	Oct 04, 2006	Oct 02, 2006	Oct 04, 2006
Shutters	Not Required			Sep 29, 2006	Sep 29, 2006
Truss Inspection	Approved	Jun 26, 2006	Jun 26, 2006	Jun 26, 2006	Jun 26, 2006
2nd/3rd Floor Tie-down	Not Required			Sep 29, 2006	Sep 29, 2006
Stem Walls	Not Required			Sep 29, 2006	Sep 29, 2006
Rated Assemblies	Approved	May 15, 2006	May 15, 2006	May 15, 2006	May 15, 2006
Columns	Not Required			Sep 29, 2006	Sep 29, 2006
Electrical					
Electrical Tug / T-Pole	Approved	Sep 12, 2006	Sep 12, 2006	Sep 12, 2006	Sep 12, 2006
Electrical Underground / Slab	Not Required			Sep 29, 2006	Sep 29, 2006
Residential Electrical Rough Inspection	Not Required			Sep 29, 2006	Sep 29, 2006
Electrical Service Change	Not Required			Sep 29, 2006	Sep 29, 2006
Residential Electrical Final Inspection	Approved	Oct 06, 2006	Oct 06, 2006	Oct 02, 2006	Oct 06, 2006
Electrical Ceiling Rough	Not Required			Sep 29, 2006	Sep 29, 2006
Electrical Wall Rough	Not Required			Sep 29, 2006	Sep 29, 2006
Electrical Temporary Power	Not Required			Sep 29, 2006	Sep 29, 2006
Gas					
Gas Rough	Not Required			Sep 29, 2006	Sep 29, 2006
Gas Final	Approved			Sep 29, 2006	Sep 29, 2006

Gas Inground Tanks	Not Required			Sep 29, 2006	Sep 29, 2006
Mechanical					
Mechanical Rough	Not Required			Sep 29, 2006	Sep 29, 2006
Mechanical Changeout/Replace	Not Required			Sep 29, 2006	Sep 29, 2006
Mechanical Final	Not Required			Oct 01, 2006	Oct 01, 2006
Mechanical Underground	Not Required			Sep 29, 2006	Sep 29, 2006
Plumbing					
Plumbing Rough	Not Required			Oct 28, 2005	Oct 28, 2005
Plumbing Tub Set	Not Required			Mar 07, 2006	Mar 07, 2006
Plumbing Water	Approved	May 26, 2006	May 26, 2006	May 25, 2006	May 25, 2006
Plumbing Sewer	Approved	May 26, 2006	May 26, 2006	May 25, 2006	May 25, 2006
Plumbing Backflow Irrigation	Not Required			Mar 07, 2006	Mar 07, 2006
Plumbing Final	Not Required			Mar 07, 2006	Mar 07, 2006
Other Inspections					
Plumbing Backflow Water	Not Required			Mar 07, 2006	Mar 07, 2006
Tree Final Inspection	Approved	Oct 04, 2006	Oct 04, 2006	Oct 04, 2006	Oct 04, 2006
LDS Final	Not Required			Sep 29, 2006	Sep 29, 2006
Landscape Final	Not Required			Sep 29, 2006	Sep 29, 2006
Post Issuance Reviews					
Building Plans Post Issuance Review	Approved	Jun 13, 2005	Jun 16, 2005	Jun 16, 2005	Jun 16, 2005
Building Plans Post Issuance Review	Approved	Jan 09, 2006	Jan 12, 2006	Feb 01, 2006	Feb 01, 2006
Fire Inspections					
Final Fire Alarm Inspection	Not Required			Sep 29, 2006	Sep 29, 2006
Fire Sprinkler Pressure Test	Not Required			Sep 29, 2006	Sep 29, 2006
Fire Sprinkler Final	Not Required			Sep 29, 2006	Sep 29, 2006
Fire Main Rough Insp	Not Required			Sep 29, 2006	Sep 29, 2006
Fire Main Final Insp	Closed			Sep 29, 2006	Sep 29, 2006
Fire Pump Final Insp	Not Required			Sep 29, 2006	Sep 29, 2006
Fire Final Inspection	Approved			Oct 11, 2006	Oct 11, 2006
CO / CC					
Certificate of Completion	CC Issued	Oct 11, 2006	Oct 12, 2006	Oct 11, 2006	Oct 11, 2006
Certificate of Occupancy	Open				
Administration					
Spot Survey (Certified)	Approved			Dec 16, 2005	Dec 16, 2005
Application Administration	Closed	Aug 25, 2005			May 24, 2005
Permit Administration	Open				
Permit Administration	Open			Jun 13, 2005	

Back



PLANNING AND DEVELOPMENT SERVICES

1001 Sarasota Center Blvd., Sarasota, FL 34240 - (941)861-6678
4000 S. Tamiami Trail, Rm. 122, Venice, FL 34293 - (941)861-3029

CERTIFICATE OF COMPLETION

Permit No.: **23 155193 00 BE**

Permit Type: **Commercial Roofing Permit**

Street Address: **1722 Celtic Dr, Shell# 1722
FL 34293**

Parcel No.: **0000008388**

Description of Work:

*****INTERNET SUBMITTAL*** REROOF TILE**

Owner:

Contractor: **BLANKA ALONSO, ALONSO ROOFING CORP, CCC1332234**

This certificate is issued pursuant to the requirements of the State of Florida Building Codes. At this time, the Structure and Tenant-Occupant are in compliance with the County Ordinances pertaining to Building, Zoning and Fire Safety as ascertained by inspectors to the best of their abilities and ethical judgment under the direction of these designated officials.

THIS APPROVAL IS NOT A CERTIFICATE OF OCCUPANCY

Special Conditions or Stipulations for this Certificate of Occupancy:

Building Official: **Steve Bell**

Date: **09/06/2023**











